WatchKit

Handoff

rwps
iPhone 6 Plus
Delivered in 9 days
Currently at Infinite Loop, Cupertino

NSUserActivityTypes

- Declare different types of supported Handoff activities
- Activity type is unique string in reverse DNS notation



Key	Type	Value
▼ Information Property List	Dictionary	(13 items)
Localization native development r...	String	en
Bundle display name	String	RWPS WatchKit Extension
Executable file	String	$(EXECUTABLE_NAME)
Bundle identifier	String	com.micpringle.RWPS.watchkitextension
InfoDictionary version	String	6.0
Bundle name	String	$(PRODUCT_NAME)
Bundle OS Type code	String	XPC!
Bundle versions string, short	String	1.0
Bundle creator OS Type code	String	????
Bundle version	String	1.0
▼ NSExtension	Dictionary	(2 items)
▼ NSExtensionAttributes	Dictionary	(1 item)
WKAppBundleIdentifier	String	com.micpringle.RWPS.watchapp
NSExtensionPointIdentifier	String	com.apple.watchkit
▼ NSUserActivityTypes	Array	(1 item)
Item 0	String	com.micpringle.RWPS.glance

Interface Controller Identifier

- Used by WatchKit to instantiate interface controller in response to Handoff activity



WKInterfaceController

```
func updateUserActivity(type: String!, userInfo userInfo: [NSObject : AnyObject]!)
```

WKInterfaceController

```
func actionForUserActivity(userActivity: [NSObject : AnyObject]!, context context:
AutoreleasingUnsafeMutablePointer<AnyObject?>) -> String!
```

Demo

Challenge Time!